



Review of Dandyhomeservices.com Generated on 2025-06-04 Introduction This report provides a review of the key factors that influence the SEO and usability of your website. The homepage rank is a grade on a 100-point scale that represents your Internet Marketing Effectiveness. The algorithm is based on 70 criteria including search engine data, website structure, site performance and others. A rank lower than 40 means that there are a lot of areas to improve. A rank above 70 is a good mark and means that your website is probably well optimized. Internal pages are ranked on a scale of A+ through E and are based on an analysis of nearly 30 criteria. Our reports provide actionable advice to improve a site's business objectives. Please contact us for more information. **Table of Contents** Search Engine Optimization Usability Mobile Technologies Visitors Social Link Analysis Iconography • • • • Hard to solve Good • • • Little tough to solve To Improve Easy to solve Errors No action necessary Not Important





Painting Services in Seattle | Dandy Painting

Length: 46 character(s)

Ideally, your title tag should contain between 10 and 70 characters (spaces included).

Make sure your title is explicit and contains your most important keywords.

Be sure that each page has a unique title.

Meta Description

000



Call Dandy Painting, Seattle's premier painting company, for all your residential and commercial painting needs. We have 36 years of experience.

Length: 146 character(s)

Meta descriptions contains between 100 and 300 characters (spaces included).

It allow you to influence how your web pages are described and displayed in search results.

Ensure that all of your web pages have a unique meta description that is explicit and contains your most important keywords (these

appear in bold when they match part or all of the user's search query).

A good meta description acts as an organic advertisement, so use enticing messaging with a clear call to action to maximize click-through rate.



No Keywords

Meta Keywords are a specific type of meta tag that appear in the HTML code of a Web page and help tell search engines what the

topic of the page is.

Meta Keywords

000

However, google can't use meta keywords.





Google Preview

Painting Services in Seattle | Dandy Painting dandyhomeservices.com/

Call Dandy Painting, Seattle's premier painting company, for all your residential and commercial painting needs. We have 36 years of experience.

This is an example of what your Title Tag and Meta Description will look like in Google search results.

While Title Tags & Meta Descriptions are used to build the search result listings, the search engines may create their own if they are missing, not well written, or not relevant to the content on the page.

Title Tags and Meta Descriptions are cut short if they are too long, so it's important to stay within the suggested character limits.

0	Headings	<h1></h1> 1	<h2></h2> 4	<h3></h3> 0	<h4></h4> 6	<h5></h5> 0	<h6></h6> 0	
		<h1> Your Premier Pa</h1>	inting Company in Se	eattle, WA				
		<h2> Over 35 Years of Custom Home and Commercial Painting Services </h2>						
		<h2> Licensed House and Commercial Painters in Seattle, WA </h2>						

<H2> Licensed House and Commercial Painters in Seattle, WA </H2>
<H2> Delivering Flawless Painting Services, Every Time </H2>
<H2> How Long Does a Painting Service Take? </H2>
<H4> How long does it take to paint the interior of a typical home in Seattle? </H4>
<H4> How long does it take to paint the exterior of a house in Seattle? </H4>
<H4> What factors can affect the timeline of a painting project in Seattle? </H4>
<H4> Do I need to move my furniture before getting the interior of my home painted? </H4>
<H4> Experience the Dandy Difference </H4>
<H4> Ready to Get Started? </H4>

Use your keywords in the headings and make sure the first level (H1) includes your most important keywords. Never duplicate your title tag content in your header tag.

While it is important to ensure every page has an H1 tag, never include more than one per page. Instead, use multiple H2 - H6 tags.





This Keyword Cloud provides an insight into the frequency of keyword usage within the page.

It's important to carry out keyword research to get an understanding of the keywords that your audience is using. There are a number of keyword research tools available online to help you choose which keywords to target.



Keywords painting	Freq 26	Title	Desc	<h></h>
interior	12	×	×	1
seattle	9	×	×	1
home	8	×	×	× .
please	7	×	×	×
dandy	6	×	×	1
schedule	6	×	×	×
enter	6	×	×	×
exterior	6	×	×	× .
company	6	×	×	× .
commercial	5	×	×	1
call	5	×	×	×
about	5	×	×	×
paint	5	×	×	1

This table highlights the importance of being consistent with your use of keywords.

painters

To improve the chance of ranking well in search results for a specific keyword, make sure you include it in some or all of the following: page URL, page content, title tag, meta description, header tags, image alt attributes, internal link anchor text and backlink anchor text.

×

×

4





We found 10 images on this web page **X** 7 ALT attributes are empty or missing.

data:image/gif;base64,R0lGODlhAQABAIAAAAAAAAAAAAAACH5BAEAAAAALAAAAAABAAEAAAICRAEAOw== data:image/gif;base64,R0lGODlhAQABAIAAAAAAAAAAAACH5BAEAAAAALAAAAAABAAEAAAICRAEAOw== data:image/gif;base64,R0lGODlhAQABAIAAAAAAAAAAAACH5BAEAAAAALAAAAAABAAEAAAICRAEAOw== data:image/gif;base64,R0lGODlhAQABAIAAAAAAAAAAAACH5BAEAAAAALAAAAAABAAEAAAICRAEAOw== data:image/gif;base64,R0lGODlhAQABAIAAAAAAAAAAAACH5BAEAAAAALAAAAAABAAEAAAICRAEAOw== data:image/gif;base64,R0lGODlhAQABAIAAAAAAAAAAAAACH5BAEAAAAALAAAAAABAAEAAAICRAEAOw== data:image/gif;base64,R0lGODlhAQABAIAAAAAAAAAAAAACH5BAEAAAAALAAAAAABAAEAAAICRAEAOw== https://www.facebook.com/tr?id=974651989963815&ev=PageView&noscript=1

Alternative text is used to describe images to give the search engine crawlers (and the visually impaired).

Also, more information to help them understand images, which can help them to appear in Google Images search results.



000

Text/HTML Ratio HTML to Text Ratio is: 7.39%

Text content size 7126 bytes Total HTML size 96490 bytes

Code to text ratio represents the percentage of actual text on a web page compared to the percentage of HTML code, and it is used by search engines to calculate the relevancy of a web page.

A higher code to text ratio will increase your chances of getting a better rank in search engine results.



GZIP compressionWow! It's GZIP Enabled.♥ Your webpage is compressed from 94 KB to 29 KB (69.6 % size savings)

Gzip is a method of compressing files (making them smaller) for faster network transfers.

It allows to reduce the size of web pages and any other typical web files to about 30% or less of its original size before it transfer.





IP Canonicalization No your domain IP 34.224.10.110 does not redirect to dandyhomeservices.com

To check this for your website, enter your IP address in the browser and see if your site loads with the IP address. Ideally, the IP should redirect to your website's URL or to a page from your website hosting provider. If it does not redirect, you should do an htaccess 301 redirect to make sure the IP does not get indexed.



Good, all URLs look clean and friendly

Your site's URLs contain unnecessary elements that make them look complicated.

A URL must be easy to read and remember for users. Search engines need URLs to be clean and include your page's most important keywords.

Clean URLs are also useful when shared on social media as they explain the page's content.



Underscores in the Great, you are not using underscores (these_are_underscores) in your URLs URLs

Great, you are not using ?underscores (these_are_underscores) in your URLs.

While Google treats hyphens as word separators, it does not for underscores.





WWW Resolve 000

Great, a redirect is in place to redirect traffic from your non-preferred domain.

Redirecting requests from a non-preferred domain is important because search engines consider URLs with and without "www" as two different websites.



XML Sitemap

Good, you have XML Sitemap file! http://dandyhomeservices.com/sitemap.xml

A robots.txt file allows you to restrict the access of search engine robots that crawl the web and it can prevent these robots from accessing specific directories and pages. It also specifies where the XML sitemap file is located. You can check for errors in your robots.txt file using Google Search Console (formerly Webmaster Tools) by selecting 'Robots.txt Tester' under 'Crawl'. This also allows you to test individual pages to make sure that Googlebot has the appropriate access.



000

Good, you have Robots.txt file! http://dandyhomeservices.com/robots.txt

A sitemap lists URLs that are available for crawling and can include additional information like your site's latest updates, frequency of changes and importance of the URLs. This allows search engines to crawl the site more intelligently. We recommend that you generate an XML sitemap for your website and submit it to both Google Search Console and Bing

Webmaster Tools. It is also good practice to specify your sitemap's location in your robots.txt file.





000


Embedded Objects Perfect, no embedded objects has been detected on this page

Embedded Objects such as Flash. It should only be used for specific enhancements. Although Flash content often looks nicer, it cannot be properly indexed by search engines. Avoid full Flash websites to maximize SEO.



Oh no, iframe content has been detected on this page

Frames can cause problems on your web page because search engines will not crawl or index the content within them. Avoid frames whenever possible and use a NoFrames tag if you must use them.



Domain Age: 4 Years, 253 Days

Created Date: 13th-Oct-2020

Updated Date: 14th-Oct-2024

Expiry Date: 13th-Oct-2025

Domain age matters to a certain extent and newer domains generally struggle to get indexed and rank high in search results for their first few months (depending on other associated ranking factors). Consider buying a second-hand domain name. Do you know that you can register your domain for up to 10 years? By doing so, you will show the world that you are serious about

your business.





SSL Data

Common Name:


Issuing CA:

Organization:

Valid: 01st-Jan-1970 to 01st-Jan-1970

The certificate will expire in





Usability



http://dandyhomeservices.com Length: 17 characters

Keep your URLs short and avoid long domain names when possible.

A descriptive URL is better recognized by search engines.

A user should be able to look at the address bar and make an accurate guess about the content of the page before reaching it (e.g.,

http://www.mysite.com/en/products).



000

Custom 404 Page Great, your website has a custom 404 error page.

When a visitor encounters a 404 File Not Found error on your site, you're on the verge of losing the visitor that you've worked so

hard to obtain through the search engines and third party links.

Creating your custom 404 error page allows you to minimize the number of visitors lost that way.





Two of the main reasons for an increase in page size are images and JavaScript files. Page size affects the speed of your website; try to keep your page size below 2 Mb. Tip: Use images with a small size and optimize their download with gzip.



0.51 second(s)

Site speed is an important factor for ranking high in Google search results and enriching the user experience. Resources: Check out Google's developer tutorials for tips on how to to make your website run faster.



Good, you have declared your language Declared Language: English

Make sure your declared language is the same as the language detected by Google

Also, define the language of the content in each page's HTML code.





Domain Availability

Domains (TLD)	Status
dandyhomeservices.net	Already Registered
dandyhomeservices.org	Already Registered
dandyhomeservices.biz	Already Registered
dandyhomeservices.us	Already Registered
dandyhomeservices.info	Already Registered

Register the various extensions of your domain to protect your brand from cybersquatters.



Typo Availability

Domains (TLD)	Status		
xandyhomeservices.com	Already Registered		
sandyhomeservices.com	Already Registered		
wandyhomeservices.com	Already Registered		
eandyhomeservices.com	Already Registered		
randyhomeservices.com	Already Registered		

Register the various typos of your domain to protect your brand from cybersquatters.





Email Privacy

Good, no email address has been found in plain text.

We don't recommend adding plain text/linked email addresses to your webpages.

As malicious bots scrape the web in search of email addresses to spam. Instead, consider using a contact form.



The website is not blacklisted and looks safe to use.

Safe Browsing to identify unsafe websites and notify users and webmasters so they can protect themselves from harm.



Mobile



Mobile Friendliness 000

Oh No! This page is not mobile-friendly. Your mobile friendly score is 0/100

Mobile Friendliness refers to the usability aspects of your mobile website, which Google uses as a ranking signal in mobile search results.



Mobile Compatibility Bad, embedded objects detected. 000

Embedded Objects such as Flash, Silverlight or Java. It should only be used for specific enhancements.

But avoid using Embedded Objects, so your content can be accessed on all devices.





Mobile View

The number of people using the Mobile Web is huge; over 75 percent of consumers have access to smartphones. ??

Your website should look nice on the most popular mobile devices.

Tip: Use an analytics tool to track mobile usage of your website.



Technologies



Server IP	Server Location	Service Provider	
52.11.37.152	Not Available	Not Available	

Your server's IP address has little impact on your SEO. Nevertheless, try to host your website on a server which is geographically close to your visitors.

Search engines take the geolocation of a server into account as well as the server speed.

Speed Tips

- Tips for authoring fast-loading HTML pages:
- Perfect, your website has few CSS files.
- Perfect, your website has few JavaScript files.
- Perfect, your website doesn't use nested tables.
- 💥 Too bad, your website is using inline styles.

Website speed has a huge impact on performance, affecting user experience, conversion rates and even rankings.

???By reducing page load-times, users are less likely to get distracted and the search engines are more likely to reward you by ranking your pages higher in the SERPs.

Conversion rates are far higher for websites that load faster than their slower competitors.



We didn't detect an analytics tool installed on this website.

Web analytics let you measure visitor activity on your website.

You should have at least one analytics tool installed, but It can also be good to install a second in order to cross-check the data.





Doc Type

The Doctype is used to instruct web browsers about the document type being used. For example, what version of HTML the page is written in. Declaring a doctype helps web browsers to render content correctly.



W3C not validated

W3Cis a consortium that sets web standards.

Using valid markup that contains no errors is important because syntax errors can make your page difficult for search engines to index. Run the W3C validation service whenever changes are made to your website's code.



Great, language/character encoding is specified: UTF-8

Specifying language/character encoding can prevent problems with the rendering of special characters.



Social




Social data refers to data individuals create that is knowingly and voluntarily shared by them.

Cost and overhead previously rendered this semi-public form of communication unfeasible.

But advances in social networking technology from 2004-2010 has made broader concepts of sharing possible.



Visitors





Estimated Worth \$60 USD

000

Just a estimated worth of your website based on Alexa Rank.



Link Analysis

In-Page Links

We found a total of 40 links including both internal & external links of your site

No Anchor TextInternal LiNo Anchor TextInternal LiAbout UsInternal LiCareersInternal LiOur Service AreaInternal LiBellevue, WAInternal LiExterior PaintingInternal LiDecks & FencesInternal LiSheds & PorchesInternal LiSiding & Rotted Wood ReplacementInternal LiDoorsInternal LiCommercial Exterior PaintingInternal LiInterior Drywall RepairInternal LiInternal LiInternal LiContrecte Floor EpoxyInternal LiComrecial Interior PaintingInternal LiConcrete Floor EpoxyInternal LiComrecial Interior PaintingInternal LiResourcesInternal LiCourponsInternal LiCourponsInter	Follow	
About UsInternal LiCareersInternal LiOur Service AreaInternal LiBellevue, WAInternal LiExterior PaintingInternal LiDecks & FencesInternal LiSheds & PorchesInternal LiSiding & Rotted Wood ReplacementInternal LiDoorsInternal LiCommercial Exterior PaintingInternal LiInterior PaintingInternal LiInterior Drywall RepairInternal LiVallas Ceilings TrimInternal LiConcrete Floor EpoxyInternal LiConcrete Floor EpoxyInternal LiCommercial Interior PaintingInternal LiResourcesInternal LiCouponsInternal LiCouponsInternal LiCouponsInternal LiCotact UsInternal Li206-279-9979Internal Li406-400-9363Internal LiCool (279-9979)Internal Li206-279-9979Internal Li207-97979Internal Li206-279-9979Internal Li207-97979Internal Li207-97979	lks Dofollow	V
CareersInternal LiOur Service AreaInternal LiBellevue, WAInternal LiExterior PaintingInternal LiDecks & FencesInternal LiSiding & Rotted Wood ReplacementInternal LiDoorsInternal LiCommercial Exterior PaintingInternal LiInterior PaintingInternal LiInterior PaintingInternal LiCommercial Exterior PaintingInternal LiInterior Drywall RepairInternal LiWalls Ceilings TrimInternal LiConcrete Floor EpoxyInternal LiConcrete Floor EpoxyInternal LiCommercial Interior PaintingInternal LiResourcesInternal LiContact UsInternal LiCototact UsInternal Li206-279-9979Internal Li406-400-9363Internal LiCodo 279-9979Internal Li206-279-9979Internal Li207-9079Internal Li207-9079Internal Li	lks Dofollow	V
Internal LiOur Service AreaInternal LiBellevue, WAInternal LiExterior PaintingInternal LiDecks & FencesInternal LiSiding & Rotted Wood ReplacementInternal LiDoorsInternal LiCommercial Exterior PaintingInternal LiInterior PaintingInternal LiInterior Drywall RepairInternal LiWalls Ceilings TrimInternal LiConcrete Floor EpoxyInternal LiCommercial Interior PaintingInternal LiConcrete Floor EpoxyInternal LiConcrete ValueInternal LiResourcesInternal LiCouponsInternal LiCouponsInternal LiCouponsInternal LiCouponsInternal LiContact UsInternal LiContact UsInternal LiContact UsInternal LiCode-279-9979Internal LiCode-279-9979Internal LiCodo-279-9979Internal LiCodo-279-9979Internal LiCodo-279-9979Internal LiCodo-279-9979Internal LiCodo-279-9979Internal LiCodo-279-9979Internal LiCodo-279-9979Internal LiNo Anchor TextInternal LiNo Anchor TextExternal LiNo Anchor	lks Dofollow	V
Bellevue, WAInternal LiExterior PaintingInternal LiExterior PaintingInternal LiDecks & FencesInternal LiSiding & Rotted Wood ReplacementInternal LiDoorsInternal LiCommercial Exterior PaintingInternal LiInterior PaintingInternal LiInterior Drywall RepairInternal LiWalls Ceilings TrimInternal LiConcrete Floor EpoxyInternal LiConmercial Interior PaintingInternal LiConcrete Floor EpoxyInternal LiConmercial Interior PaintingInternal LiResourcesInternal LiPhoto GalleryInternal LiCouponsInternal LiContact UsInternal LiContact UsInternal LiContact UsInternal LiCode-Quo PogoInternal LiCodo-279-9979Internal LiCodo-279-9979Internal LiCodo-279-9979Internal LiCodo-279-9979Internal LiQuo PogoInternal LiQuo PogoInternal LiCodo-279-9979Internal LiQuo PogoInternal LiCodo-279-9979Internal LiQuo PogoInternal LiQuo PogoInternal LiQuo PogoInternal LiQuo PogoInternal LiNo Anchor TextInternal LiNo Anchor TextExternal LNo Anchor TextExternal LNo Anchor TextExternal LNo Anchor TextExternal L	lks Dofollow	V
Exterior PaintingInternal LiDecks & FencesInternal LiSheds & PorchesInternal LiSiding & Rotted Wood ReplacementInternal LiDoorsInternal LiCommercial Exterior PaintingInternal LiInterior PaintingInternal LiInterior Drywall RepairInternal LiWalls Ceilings TrimInternal LiConcrete Floor EpoxyInternal LiCommercial Interior PaintingInternal LiConcrete Floor EpoxyInternal LiCommercial Interior PaintingInternal LiResourcesInternal LiCouponsInternal LiCouponsInternal LiCoutact UsInternal Li206-279-9979Internal Li207-279-9979Internal Li <td>lks Dofollow</td> <td>V</td>	lks Dofollow	V
Decks & FencesInternal LiSheds & PorchesInternal LiSiding & Rotted Wood ReplacementInternal LiDoorsInternal LiCommercial Exterior PaintingInternal LiInterior Drywall RepairInternal LiWalls Ceilings TrimInternal LiConcrete Floor EpoxyInternal LiConcrete Floor EpoxyInternal LiConcrete Floor EpoxyInternal LiConcrete Floor EpoxyInternal LiConcrete Floor SpoxyInternal LiConcrete Floor SpoxyInternal LiConcrete Floor SpoxyInternal LiConcrete Floor SpoxyInternal LiConcrete SpoxyInternal LiCouponsInternal LiCouponsInternal LiCouponsInternal LiCouponsInternal LiContact UsInternal Li206-279-9979Internal Li </td <td>lks Dofollow</td> <td>V</td>	lks Dofollow	V
Sheds & PorchesInternal LiSiding & Rotted Wood ReplacementInternal LiDoorsInternal LiCommercial Exterior PaintingInternal LiInterior PaintingInternal LiInterior Drywall RepairInternal LiWalls Ceilings TrimInternal LiConcrete Floor EpoxyInternal LiCommercial Interior PaintingInternal LiConcrete Floor EpoxyInternal LiCommercial Interior PaintingInternal LiConcrete Floor SpoxyInternal LiCommercial Interior PaintingInternal LiResourcesInternal LiCouponsInternal LiCouponsInternal LiContact UsInternal Li206-279-9979Internal Li206-279-9979<	lks Dofollow	V
Siding & Rotted Wood ReplacementInternal LiDoorsInternal LiCommercial Exterior PaintingInternal LiInterior PaintingInternal LiInterior Drywall RepairInternal LiWalls Ceilings TrimInternal LiConcrete Floor EpoxyInternal LiCommercial Interior PaintingInternal LiConcrete Floor EpoxyInternal LiCommercial Interior PaintingInternal LiConcrete Floor EpoxyInternal LiCommercial Interior PaintingInternal LiResourcesInternal LiCouponsInternal LiCouponsInternal LiContact UsInternal Li206-279-9979Internal Li206-279-9979	lks Dofollow	V
DoorsInternal LiCommercial Exterior PaintingInternal LiInterior PaintingInternal LiInterior Drywall RepairInternal LiWalls Ceilings TrimInternal LiCabinetsInternal LiConcrete Floor EpoxyInternal LiCommercial Interior PaintingInternal LiResourcesInternal LiPhoto GalleryInternal LiCouponsInternal LiContact UsInternal Li206-279-9979Internal Li	lks Dofollow	V
Commercial Exterior PaintingInternal LiInterior PaintingInternal LiInterior Drywall RepairInternal LiWalls Ceilings TrimInternal LiCabinetsInternal LiConcrete Floor EpoxyInternal LiCommercial Interior PaintingInternal LiResourcesInternal LiPhoto GalleryInternal LiCouponsInternal LiContact UsInternal Li206-279-9979Internal	lks Dofollow	V
Interior PaintingInternal LiInterior Drywall RepairInternal LiWalls Ceilings TrimInternal LiCabinetsInternal LiConcrete Floor EpoxyInternal LiCommercial Interior PaintingInternal LiResourcesInternal LiPhoto GalleryInternal LiCouponsInternal LiContact UsInternal Li206-279-9979Internal Li206-279-9979Internal LiAvailable ServicesInternal Li206-279-9979Internal Li <td>lks Dofollow</td> <td>V</td>	lks Dofollow	V
Interior Drywall RepairInternal LiWalls Ceilings TrimInternal LiCabinetsInternal LiConcrete Floor EpoxyInternal LiConcrete Floor PaintingInternal LiResourcesInternal LiPhoto GalleryInternal LiCouponsInternal LiContact UsInternal Li206-279-9979Internal LiAdo-400-9363Internal LiSchedule OnlineInternal LiAvailable ServicesInternal Li206-279-9979Internal Li206-279-9979Internal LiSchedule OnlineInternal LiAvailable ServicesInternal Li206-279-9979Internal Li<	lks Dofollow	v
Walls Ceilings TrimInternal LiCabinetsInternal LiConcrete Floor EpoxyInternal LiConmercial Interior PaintingInternal LiResourcesInternal LiPhoto GalleryInternal LiCouponsInternal LiReviewsInternal LiContact UsInternal Li206-279-9979Internal Li406-400-9363Internal LiSchedule OnlineInternal LiAvailable ServicesInternal Li206-279-9979Internal Li207Internal Li206-279-9979	lks Dofollow	v
CabinetsInternal LiCabinetsInternal LiConcrete Floor EpoxyInternal LiCommercial Interior PaintingInternal LiResourcesInternal LiPhoto GalleryInternal LiCouponsInternal LiCouponsInternal LiContact UsInternal Li206-279-9979Internal Li406-400-9363Internal LiSchedule OnlineInternal LiAvailable ServicesInternal Li(206) 279-9979Internal Li206-279-9979Internal Li(206) 279-9979Internal Li(206) 279-9979Internal LiNo Anchor TextInternal Li(406) 400-9363Internal LiSite MapInternal LiPrivacy PolicyInternal LiAcceptable Use PolicyExternal LiNo Anchor TextExternal LiNo Anchor Text <td>lks Dofollow</td> <td>V</td>	lks Dofollow	V
Concrete Floor EpoxyInternal LiCommercial Interior PaintingInternal LiResourcesInternal LiPhoto GalleryInternal LiCouponsInternal LiCouponsInternal LiReviewsInternal LiContact UsInternal Li206-279-9979Internal Li406-400-9363Internal LiSchedule OnlineInternal LiAvailable ServicesInternal Li(206) 279-9979Internal Li206-279-9979Internal Li206-279-9979 </td <td>lks Dofollow</td> <td>v</td>	lks Dofollow	v
Commercial Interior PaintingInternal LiResourcesInternal LiPhoto GalleryInternal LiCouponsInternal LiCouponsInternal LiReviewsInternal LiContact UsInternal Li206-279-9979Internal Li406-400-9363Internal LiSchedule OnlineInternal LiAvailable ServicesInternal Li(206) 279-9979Internal Li206-279-9979Internal Li207Internal L	lks Dofollow	v
ResourcesInternal LiPhoto GalleryInternal LiCouponsInternal LiCouponsInternal LiReviewsInternal LiContact UsInternal Li206-279-9979Internal Li406-400-9363Internal LiSchedule OnlineInternal LiAvailable ServicesInternal Li(206) 279-9979Internal Li206-279-9979Internal Li207-279-9979Internal Li<	lks Dofollow	v
Photo GalleryInternal LiCouponsInternal LiReviewsInternal LiContact UsInternal Li206-279-9979Internal Li406-400-9363Internal LiSchedule OnlineInternal LiAvailable ServicesInternal Li(206) 279-9979Internal Li206-279-9979Internal Li206-279-9979Internal Li(206) 279-9979Internal Li206-279-9979Internal Li206-279-9979Internal Li206-279-9979Internal Li206-279-9979Internal Li206-279-9979Internal Li206-279-9979Internal LiNo Anchor TextInternal LiYite MapInternal LiSite MapInternal LiPrivacy PolicyInternal LiMap & Directions [+]External LNo Anchor TextExternal LNo Ancho	lks Dofollow	v
CouponsInternal LiReviewsInternal LiContact UsInternal Li206-279-9979Internal Li406-400-9363Internal LiSchedule OnlineInternal LiAvailable ServicesInternal Li(206) 279-9979Internal Li206-279-9979Internal LiNo Anchor TextInternal LiYang & Directions [+]External LiNo Anchor TextExternal	lks Dofollow	V
ReviewsInternal LiReviewsInternal LiContact UsInternal Li206-279-9979Internal Li406-400-9363Internal LiSchedule OnlineInternal LiAvailable ServicesInternal Li(206) 279-9979Internal Li206-279-9979Internal L	lks Dofollow	v
Contact UsInternal Li206-279-9979Internal Li406-400-9363Internal LiSchedule OnlineInternal LiAvailable ServicesInternal Li(206) 279-9979Internal Li206-279-9979Internal Li206-279-9979Internal LiNo Anchor TextInternal Li(406) 400-9363Internal LiSite MapInternal LiPrivacy PolicyInternal LiMap & Directions [+]External LiNo Anchor TextExternal LiNo Anchor	lks Dofollow	v
206-279-9979Internal Li406-400-9363Internal LiSchedule OnlineInternal LiAvailable ServicesInternal Li(206) 279-9979Internal Li206-279-9979Internal Li206-279-9979Internal Li(406) 400-9363Internal LiSite MapInternal LiPrivacy PolicyInternal LiAcceptable Use PolicyExternal LiNo Anchor TextExternal LiNo A	lks Dofollow	v
406-400-9363Internal LiSchedule OnlineInternal LiAvailable ServicesInternal Li(206) 279-9979Internal Li206-279-9979Internal LiNo Anchor TextInternal Li(406) 400-9363Internal LiSite MapInternal LiPrivacy PolicyInternal LiAcceptable Use PolicyExternal LiNo Anchor TextExternal Li	lks Dofollow	v
Schedule OnlineInternal LiAvailable ServicesInternal Li(206) 279-9979Internal Li206-279-9979Internal LiNo Anchor TextInternal Li(406) 400-9363Internal LiSite MapInternal LiPrivacy PolicyInternal LiAcceptable Use PolicyExternal LiNo Anchor TextExternal Li <t< td=""><td>lks Dofollow</td><td>v</td></t<>	lks Dofollow	v
Available ServicesInternal Li(206) 279-9979Internal Li206-279-9979Internal LiNo Anchor TextInternal Li(406) 400-9363Internal LiSite MapInternal LiPrivacy PolicyInternal LiAcceptable Use PolicyExternal LiMap & Directions [+]External LiNo Anchor TextExternal Li	lks Dofollow	v
(206) 279-9979Internal Li206-279-9979Internal LiNo Anchor TextInternal Li(406) 400-9363Internal LiSite MapInternal LiPrivacy PolicyInternal LiAcceptable Use PolicyExternal LiMap & Directions [+]External LiNo Anchor TextExternal Li	lks Dofollow	V
206-279-9979Internal Li206-279-9979Internal LiNo Anchor TextInternal Li(406) 400-9363Internal LiSite MapInternal LiPrivacy PolicyInternal LiAcceptable Use PolicyExternal LiMap & Directions [+]External LiNo Anchor TextExternal Li	lks Dofollow	v
No Anchor TextInternal Li(406) 400-9363Internal LiSite MapInternal LiPrivacy PolicyInternal LiAcceptable Use PolicyExternal LiMap & Directions [+]External LiNo Anchor TextExternal Li	lks Dofollow	v
(406) 400-9363Internal LiSite MapInternal LiPrivacy PolicyInternal LiAcceptable Use PolicyExternal LiMap & Directions [+]External LiNo Anchor TextExternal Li	lks Dofollow	v
Site MapInternal LiPrivacy PolicyInternal LiAcceptable Use PolicyExternal LiMap & Directions [+]External LiNo Anchor TextExternal Li	lks Dofollow	v
Privacy PolicyInternal LiAcceptable Use PolicyExternal LiMap & Directions [+]External LiNo Anchor TextExternal Li	lks Dofollow	v
Acceptable Use PolicyExternal LMap & Directions [+]External LNo Anchor TextExternal L	lks Dofollow	v
Map & Directions [+]External LNo Anchor TextExternal L	iks Dofollow	v
No Anchor TextExternal LNo Anchor TextExternal LNo Anchor TextExternal LNo Anchor TextExternal LNo Anchor TextExternal L	nks Nofollow	v
No Anchor TextExternal LNo Anchor TextExternal LNo Anchor TextExternal LNo Anchor TextExternal L	nks Dofollow	v
No Anchor TextExternal LNo Anchor TextExternal L	nks Dofollow	V
No Anchor Text External L	nks Dofollow	V
	nks Dofollow	V
	nks Dofollow	v
No Anchor Text External L	nks Dofollow	V



While there's no exact limit to the number of links you should include on a page, best practice is to avoid exceeding 200 links.

Links pass value from one page to another, but the amount of value that can be passed is split between all of the links on a page. This means that adding unnecessary links will dilute the potential value attributed to your other links.

Using the Nofollow attribute prevents value from being passed to the linking page, but it's worth noting that these links are still taken into account when calculating the value that is passed through each link, so Nofollow links can also dilute pagerank.







Broken Links

No broken links were found on this web page

Broken links send users to non-existing web pages. They are bad for your site's usability, reputation and SEO. If you find broken links in the future, take the time to replace or remove each one.

